

service



i n v e n t

2,000-sheet side-input tray



2,000-sheet side-input tray

service _____

© Copyright 2003-2004
Hewlett-Packard Development
Company, L.P.

Reproduction, adaptation, or
translation without prior written
permission is prohibited, except
as allowed under the copyright
laws.

The information contained herein
is subject to change without
notice.

The only warranties for HP
products and services are set
forth in the express warranty
statements accompanying such
products and services. Nothing
herein should be construed as
constituting an additional
warranty. HP shall not be liable
for technical or editorial errors or
omissions contained herein.

Part number: Q1891-90901

Edition 1, 9/2004

Table of contents

List of tables

List of figures

1

Product information

Chapter contents	11
Product features	12
HP 2,000-sheet side-input tray (Q1891A)	12
Product specifications	13
Identification	13
Specifications	13
Environmental specifications	14
Product orientation and assemblies	15
Space requirements	16
Overall physical dimensions	16

2

Service approach

Chapter contents	17
Service approach	18
Parts and supplies	19
Ordering parts	19
Ordering supplies	19
Exchange program	19
Supplies	19
World Wide Web	19
HP service parts information CD	20
Customer care reseller sales and service support center	20
HP authorized resellers and support	20
HP service agreements	20
HP service in other areas	20
Ordering related documentation and software	20
Warranty	21
Onsite service agreements	21
Priority onsite service	21
Next-day onsite service	21

3 Product configuration

Chapter contents	23
Installing the 2,000-sheet side-input tray	24
Loading media into the tray	28
Using the control panel to configure the tray	31
Basic control-panel operation	31
Setting the media size	32
Setting the media type	32

4 Product maintenance

Chapter contents	37
Preventative maintenance	38
Image transfer kit	38
Replacing the image transfer kit	38
Storing the image transfer kit	38
Cleaning the 2,000-sheet side-input tray	38
Jams	39
Clearing a jam in the 2,000-sheet side-input tray	39
Jam locations	42

5 Theory of operation

Chapter contents	45
Basic operation	46
Major side-input tray systems	46
Side-input tray input and output signals	47
Pickup and feed system	53
Introduction	53
Media-level and media-size detection	54
Pickup and feed operation	55
Between-page adjustment	57
Tray-lifting operation	58
Tray lift when the top cover is closed	59
Tray lift when during the pickup operation	59
Power supply	60
Introduction	60
Power supply protection	60
Diagrams	61
Wiring	61
Connectors	62
Main assemblies	63
Sensors	64
Clutch and motors	65
PCAs	66
Rollers and lifter mechanism	67

6 Removal and replacement

Chapter contents	69
Introduction	70
Removal and replacement strategy	70
General cautions during removal and replacement	70
Electrostatic discharge	70
Required tools	71
Side-input tray orientation	72
Covers, panels, and doors	73
Left cover	73
Left front cover	74
Back-left cover	75
Back cover	76
Right door	77
Top rear cover	78
Front cover	79
Top-cover assembly	80
Right rear cover	82
Right lower cover	83
Internal assemblies	84
Pickup, feed, and separation rollers	84
Lifter-driver assembly	85
Door sensor	87
Paper-deck-controller PCA	88
Jam-detection sensor	89
Power-supply assembly	90
LED PCA	91
Tray assembly	93
Paper-level-sensor PCA	97
Paper-pickup and feed assembly	98

7 Troubleshooting

Chapter contents	99
Introduction	100
Troubleshooting process	100
Pre-troubleshooting checklist	100
Power checks	101
Troubleshooting tools and procedures	101
Electrostatic discharge	101
General troubleshooting procedures 102	
User LEDs	103
Introduction	103
Service mode	104
Introduction	104
Normal operation check	105
Sensor test	107
Perform the service sensor test	107
Paper-path test	109
Perform the paper pickup test	109
Motor test	110
Perform the motor test	110

Jams and media problems	111
Introduction	111
Pickup and registration jams	112
General tray problem solving	113
Error messages	117

8 Parts and diagrams

Chapter contents	119
Introduction.	120
Ordering parts	120
Customer support information	120
Hardware identification	121
Illustrations and parts lists	122
2,000-sheet side-input tray	122
External covers and panels	123
Internal components (1 of 2)	125
Internal components (2 of 2)	126
Tray assembly (1 of 2)	129
Tray assembly (2 of 2)	130
Lifter-driver assembly.	132
Pickup and feed assembly (1 of 2)	133
Pickup and feed assembly (2 of 2)	134
PCAs	137
Alphabetical parts list	138
Numerical parts list	140

Index

List of tables

Table 1. Features of the 2,000-sheet side-input tray	12
Table 2. Out-of-box specifications	13
Table 3. Power requirements and circuit capacity	14
Table 4. Power consumption	14
Table 5. Environmental specifications	14
Table 6. Tray orientation and assemblies	15
Table 7. Documents and media	32
Table 8. Common jams and solutions	43
Table 9. Side-input tray signals (paper-deck-controller PCA)	49
Table 10. Paper-level sensors	54
Table 11. Paper-size sensors	54
Table 12. Side-input tray main assemblies	63
Table 13. Side-input tray sensors	64
Table 14. Side-input tray clutch and motors	65
Table 15. Side-input tray PCAs	66
Table 16. Side-input tray rollers and lifter mechanism	67
Table 17. Commonly used hardware table	71
Table 18. Common torque values	71
Table 19. Tray orientation and assemblies	72
Table 20. Pre-troubleshooting checklist	100
Table 21. Power checks	101
Table 22. Troubleshooting with the tray connected to the printer	102
Table 23. Troubleshooting with the tray not connected to the printer	102
Table 24. 2,000-sheet side-input tray service DIP switch, power switch, and service LEDs	104
Table 25. Side-input tray service DIP switch settings	105
Table 26. Normal operation check, service LEDs	105
Table 27. Sensor test DIP switch settings	107
Table 28. Paper-path DIP switch settings	109
Table 29. Motor test DIP switch settings	110
Table 30. Pickup and registration jams	112
Table 31. General tray problem troubleshooting	113
Table 32. Error messages	117
Table 33. Commonly used hardware table	121
Table 34. Common torque values	121
Table 35. 2,000-sheet side-input tray	122
Table 36. External covers and panels (1 of 2)	124
Table 37. Internal components	127
Table 38. Tray assembly	131
Table 39. Lifter-driver assembly	132
Table 40. Pickup and feed assembly	135
Table 41. PCAs	137
Table 42. Alphabetical parts list	138
Table 43. Numerical parts list	140

List of figures

Figure 1. Sample identification label	13
Figure 2. Front, back and side assembly locations	15
Figure 3. 2,000-sheet side-input tray overall dimensions	16
Figure 4. Installing the 2,000-sheet side-input tray (1 of 8)	24
Figure 5. Installing the 2,000-sheet side-input tray (2 of 8)	24
Figure 6. Installing the 2,000-sheet side-input tray (3 of 8)	25
Figure 7. Installing the 2,000-sheet side-input tray (4 of 8)	25
Figure 8. Installing the 2,000-sheet side-input tray (5 of 8)	26
Figure 9. Installing the 2,000-sheet side-input tray (6 of 8)	26
Figure 10. Installing the 2,000-sheet side-input tray (7 of 8)	27
Figure 11. Installing the 2,000-sheet side-input tray (8 of 8)	27
Figure 12. Loading media into the 2,000-sheet side-input tray (1 of 3)	28
Figure 13. Loading media into the 2,000-sheet side-input tray (2 of 3)	29
Figure 14. Loading media into the 2,000-sheet side-input tray (3 of 3)	30
Figure 15. HP color LaserJet 9500mfp control panel	31
Figure 16. HP color LaserJet 9500mfp touchscreen	31
Figure 17. Clearing a jam in the 2,000-sheet side-input tray (1 of 4)	39
Figure 18. Clearing a jam in the 2,000-sheet side-input tray (2 of 4)	40
Figure 19. Clearing a jam in the 2,000-sheet side-input tray (3 of 4)	40
Figure 20. Clearing a jam in the 2,000-sheet side-input tray (4 of 4)	41
Figure 21. 2,000-sheet side-input tray pickup and registration block diagram	42
Figure 22. 2,000-sheet side-input tray systems	46
Figure 23. Side-input tray I/O signals (1 of 3)	47
Figure 24. Side-input tray I/O signals (2 of 3)	48
Figure 25. Side-input tray I/O signals (3 of 3)	49
Figure 26. Side-input tray motors and rollers	51
Figure 27. Side-input tray sensors	52
Figure 28. Side-input tray timing diagram	55
Figure 29. Side-input tray major components	56
Figure 30. Side-input tray between-pages adjustment	57
Figure 31. 2,000-sheet side-input tray lifting operation	58
Figure 32. Side-input tray power supply	60
Figure 33. Side-input tray wiring diagram	61
Figure 34. Side-input tray paper-deck-controller connectors	62
Figure 35. Side-input tray connectors	62
Figure 36. Side-input tray main assemblies	63
Figure 37. Side-input tray sensors	64
Figure 38. Side-input tray clutch and motors	65
Figure 39. Side-input tray PCAs	66
Figure 40. Side-input tray rollers and lifter mechanism	67
Figure 41. Front, back and side assembly locations	72
Figure 42. Remove the left cover	73
Figure 43. Remove the left front cover	74
Figure 44. Remove the back-left cover	75
Figure 45. Remove the back cover	76
Figure 46. Remove the right door (1 of 2)	77
Figure 47. Remove the right door (2 of 2)	77
Figure 48. Remove the top rear cover	78
Figure 49. Remove the front cover	79

Figure 50. Remove the top-cover assembly (1 of 2)	.80
Figure 51. Remove the top-cover assembly (2 of 2)	.80
Figure 52. Reinstalling the top-cover assembly	.81
Figure 53. Remove the right rear cover	.82
Figure 54. Remove the right lower cover	.83
Figure 55. Remove the pickup, feed, and separation rollers	.84
Figure 56. Remove the lifter-driver assembly (1 of 4)	.85
Figure 57. Remove the lifter-driver assembly (2 of 4)	.85
Figure 58. Remove the lifter-driver assembly (3 of 4)	.86
Figure 59. Remove the lifter-driver assembly (4 of 4)	.86
Figure 60. Remove the door sensor (1 of 2)	.87
Figure 61. Remove the door sensor (2 of 2)	.87
Figure 62. Remove the paper-deck-controller PCA	.88
Figure 63. Remove the jam-detection sensor (1 of 2)	.89
Figure 64. Remove the jam-detection sensor (2 of 2)	.89
Figure 65. Remove the power-supply assembly	.90
Figure 66. Remove the LED PCA (1 of 3)	.91
Figure 67. Remove the LED PCA (2 of 3)	.91
Figure 68. Remove the LED PCA (3 of 3)	.92
Figure 69. Remove the tray assembly (1 of 7)	.93
Figure 70. Remove the tray assembly (2 of 7)	.93
Figure 71. Remove the tray assembly (3 of 7)	.94
Figure 72. Remove the tray assembly (4 of 7)	.94
Figure 73. Remove the tray assembly (5 of 7)	.95
Figure 74. Remove the tray assembly (6 of 7)	.95
Figure 75. Remove the tray assembly (7 of 7)	.96
Figure 76. Remove the paper-level-sensor PCA (1 of 2)	.97
Figure 77. Remove the paper-level-sensor PCA (2 of 2)	.97
Figure 78. Remove the paper-pickup and feed assembly (1 of 2)	.98
Figure 79. Remove the paper-pickup and feed assembly (2 of 2)	.98
Figure 80. 2,000-sheet side-input tray user LEDs	.103
Figure 81. 2,000-sheet side-input tray service DIPs, power switch, and service LEDs	.104
Figure 82. 2,000-sheet side-input tray pickup and registration locations	.111
Figure 83. Adjust the gap between the tray and the MFP	.111
Figure 84. 2,000-sheet side-input tray	.122
Figure 85. External covers and panels	.123
Figure 86. Internal component (1 of 2)	.125
Figure 87. Internal components (2 of 2)	.126
Figure 88. Tray assembly (1 of 2)	.129
Figure 89. Tray assembly (2 of 2)	.130
Figure 90. Lifter-driver assembly	.132
Figure 91. Pickup and feed assembly (1 of 2)	.133
Figure 92. Pickup and feed assembly (2 of 2)	.134
Figure 93. PCAs	.137